

# Round Ceiling Integrated Valve

Ø125 mm round ceiling integrated supply/extract air valve



## MODELS

Colour	Painted the same paint as the ceiling
Size	Size available - Ø125 mm

## KEY FEATURES

- Ceiling integrated valves with no visible seams
- Simple installation
- Noise reduction due to aerodynamic design
- For both supply and extract air
- Environmentally friendly material

The round ceiling integrated valves are made of high density, eco-friendly foam and are seamlessly integrated into plasterboard ceilings with no visible framing. They have a stylish look and can be painted to match the ceiling's colour.


These valves offer high air quality and thermal comfort without compromising on design and unlike the plastic valves, ceiling integrated valves retain their original colour and finish over time, ensuring lasting aesthetic appeal.

They are ideal for both commercial and domestic markets, offering a versatile solution for a wide range of applications. This product is an excellent choice for visually appealing valves, which ensure high indoor air quality.

Conventional HVAC systems rely on fixed airflow, which can be inefficient in managing air distribution.

In contrast, ceiling integrated valves offer a fully adjustable airflow, controlled by inserting or removing airflow regulator slots. This allows for efficient and adaptable air distribution, providing optimal comfort. The ceiling valves improve indoor air distribution without obscuring the design and aesthetics of the space. Moreover, the valves can be painted and match any interior decor.


Their purpose is to provide a system that not only meets environmental standards but also offers significant improvements in air distribution and aesthetic appeal.




## TECHNICAL DATA

Specification	Ø125 mm Ceiling Integrated Valve
Max airflow (m³/h / l/s)	90 / 25
Material	Polyurethane foam
Ceiling type	Plasterboard
Sound pressure (dB) at 90 m³/h	25
Max Equivalent area (mm²)	6,000
Connection diameter (mm)	Ø125
Dimensions L x D x H (mm)	330 x 250 x 88
Weight (kg)	4.5
Part number	90002245
EAN	5019009338132

## AIRFLOW REGULATOR




## DIMENSIONS



A	B	C	D	E	F	G	H
Ø250mm	323mm	80mm	Ø3.6mm	Ø125mm	88mm	39mm	49mm

## PERFORMANCE



## ACCESSORIES



**Fire Rated Extract Valve**  
No: 90002217  
Ø125 mm fire rated metal extract air valve for fire rated ceilings.



**Square Supply/Extract Valve**  
No: 90000316  
Ø125 mm square adjustable extract/supply air valve with internal filter.



**Coanda Supply Valve**  
No: 9041166  
Ø125 mm internal Coanda wall mounted supply air valve.



**Metal Supply Air Valve**  
No: 9041169  
Ø125 mm metal supply air valve with flow restriction inserts, wall/ceiling mounted.

Others products available from [airflow.com](http://airflow.com)

**Call: 01494 525252**

**Visit: [airflow.com](http://airflow.com)**



**Airflow Developments Limited**  
Aidelle House, Lancaster Road,  
Cressex Business Park,  
High Wycombe, Buckinghamshire,  
United Kingdom, HP12 3QP

E-mail: [info@airflow.com](mailto:info@airflow.com)  
Telephone: +44 (0) 1494 525252

[airflow.com](http://airflow.com)

© Airflow Developments Limited. Airflow Developments Limited reserve the right, in the interests of continuous development, to alter specifications without prior notice. All orders are accepted subject to our conditions of sale which are available on request



80001717 Issue 1 04/2025