

Part No: 90001275  
 Model: DV80 (R) ADROIT

Specific Energy Consumption (SEC) in kWh/(m <sup>2</sup> a)	<b>-41.5</b>	Average	Class	<b>A</b>
	<b>-16.6</b>	Warm	Class	<b>E</b>
	<b>-80.5</b>	Cold	Class	<b>A+</b>
Typology	<b>RVU/BVU</b>			
Type of Drive	<b>Variable speed</b>			
Heat Recovery System	<b>Recuperative</b>			
Thermal Efficiency	<b>93.0</b>	%		
Maximum Flow Rate	<b>304.0</b>	m <sup>3</sup> /h		
Electrical Power Input at Maximum Flow	<b>167.0</b>	W		
Sound Power Level at Reference Flow Rate	<b>52</b>	L <sub>WA</sub>		
Reference Flow Rate	<b>0.059</b>	m <sup>3</sup> /s		
Reference Pressure Difference	<b>50.0</b>	Pa		
Specific Power Input (SPI)	<b>0.330</b>	W/(m <sup>3</sup> /h)		
Control Factor and Typology	<b>0.85</b>	<b>Local</b>		
Declared Leakage Rates	<b>2.0</b>	% Internal	<b>2.0</b>	% External
Mixing Rate	<b>N/A</b>	%		
Position and Description of Filter Warning	See Product Instructions - airflow.com			
Instructions for Supply / Extract Grilles	See Product Instructions - airflow.com			
Internet Address for Pre/Diss-assembly Instructions	airflow.com			
Air Flow Rate Sensitivity (Ratio)	<b>N/A</b>	+ 20 Pa	<b>N/A</b>	- 20 Pa
Indoor / Outdoor Air Tightness	<b>N/A</b>	m <sup>3</sup> /h		
Annual Electricity Consumption (AEC) in kWh electricity/a	<b>219.7</b>	Average		
	<b>174.7</b>	Warm		
	<b>756.7</b>	Cold		
Annual Heating Saved (AHS) in kWh primary energy/a	<b>4633.3</b>	Average		
	<b>2095.1</b>	Warm		
	<b>9064.0</b>	Cold		

Visit: [airflow.com](http://airflow.com)

For the latest, products, data sheets, application advice and information

Tel: +44 (0) 1494 525252

