

SAFETY DATA SHEET
FLINTS SOFT FOAM - PART B

Page: 1

Compilation date: 12/08/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** FLINTS SOFT FOAM - PART B**Product code:** MCEF010 B**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** PC32: Polymer preparations and compounds.**1.3. Details of the supplier of the safety data sheet****Company name:** FlintsUnit 2, Newtons Court
Crossways Business Park
Dartford
Kent
DA2 6QL
United Kingdom**Tel:** +44 (0) 20 7703 9786**Fax:****Email:** sales@flints.co.uk**1.4. Emergency telephone number****Emergency tel:** +44 (0)1483223311
(office hours only)**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Eye Irrit. 2: H319; Acute Tox. 4: H332; Carc. 2: H351; Resp. Sens. 1: H334; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT RE 2: H373; STOT SE 3: H335**Most important adverse effects:** Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure [inhalation (vapour)].**2.2. Label elements****Label elements:****Hazard statements:** H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer.

[cont...]

SAFETY DATA SHEET

FLINTS SOFT FOAM - PART B

Page: 2

H373: May cause damage to organs through prolonged or repeated exposure [inhalation (vapour)].

Signal words: Danger

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard



Precautionary statements: P260: Do not breathe vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304+341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Other hazards: Danger of serious damage to health by prolonged exposure.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

4,4'-METHYLENEDIPHENYL DIISOCYANATE, OLIGOMERS - REACH registered number(s): 01-2119457013- 49

EINECS	CAS	PBT / WEL	CLP Classification	Percent
500-040-3	25686-28-6	-	Carc. 2: H351; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317; Acute Tox. 4: H332; Eye Irrit. 2: H319; STOT RE 2: H373	5-20%

4,4'-METHYLENEDIPHENYLDIISOCYANATE, OLIGOMERIC REACTION PRODUCTS WITH BUTANE-1,3-DIOL, 2,4'-DIISOCYANATODIPHENYLMETHANE, [(METHYLETHYLENE)BIS(OXY)]DIPROPANOL AND PROPANE-1,2-DIOL - REACH registered number(s): 01-2119457025- 44

EINECS	CAS	PBT / WEL	CLP Classification	Percent
500-312-1	123714-19-2	-	Carc. 2: H351; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317; Acute Tox. 4: H332; Eye Irrit. 2: H319; STOT RE 2: H373	5-20%

SAFETY DATA SHEET

FLINTS SOFT FOAM - PART B

Page: 3

REACTION MASS OF 4,4'MDI & 2,4'MDI - REACH registered number(s): 01-2119457015- 45

-	-	-	Acute Tox. 4: H332; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Resp. Sens. 1: H334; Skin Sens. 1: H317; Carc. 2: H351; STOT RE 2: H373	5-20%
---	---	---	---	-------

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE - REACH registered number(s): 01-2119457014- 47

202-966-0	101-68-8	-	Carc. 2: H351; Acute Tox. 4: H332; STOT RE 2: H373; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317	5-20%
-----------	----------	---	---	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

SAFETY DATA SHEET
FLINTS SOFT FOAM - PART B

Page: 4

Section 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. If outside keep bystanders upwind and away from danger point. Evacuate the area immediately.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the neighbourhood to the presence of fumes or gas.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage**7.1. Precautions for safe handling**

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection**8.1. Control parameters****Workplace exposure limits:****Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.02mg/m3 (as NCO)	0.07mg/m3 (as NCO)	-	-

Hazardous ingredients:**DIPHENYLMETHANE-4,4'-DI-ISOCYANATE****Workplace exposure limits:****Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	0.02 mg/m3	0.07 mg/m3	-	-

[cont...]

SAFETY DATA SHEET
FLINTS SOFT FOAM - PART B

Page: 5

DNEL/PNEC Values**DNEL / PNEC** No data available.**8.2. Exposure controls****Engineering measures:** Ensure there is sufficient ventilation of the area.**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.**Hand protection:** Impermeable gloves.**Eye protection:** Safety glasses. Ensure eye bath is to hand.**Skin protection:** Impermeable protective clothing.**Environmental:** The floor of the storage room must be impermeable to prevent the escape of liquids.**Section 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****State:** Liquid**Colour:** Pale yellow**Odour:** Barely perceptible odour**Evaporation rate:** Negligible**Solubility in water:** Reacts with water.**Viscosity:** Viscous**Boiling point/range°C:** 185**Flash point°C:** 185**Relative density:** 1.15**9.2. Other information****Other information:** No data available.**Section 10: Stability and reactivity****10.1. Reactivity****Reactivity:** Stable under recommended transport or storage conditions.**10.2. Chemical stability****Chemical stability:** Stable under normal conditions.**10.3. Possibility of hazardous reactions****Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid**Conditions to avoid:** Heat. Hot surfaces. Flames.**10.5. Incompatible materials****Materials to avoid:** Strong oxidising agents. Strong acids.**10.6. Hazardous decomposition products****Haz. decomp. products:** In combustion emits toxic fumes.

SAFETY DATA SHEET

FLINTS SOFT FOAM - PART B

Page: 6

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	>5000	mg/kg
DUST/MIST	RAT	4H LC50	2	mg/l
DERMAL	RBT	LD50	>9400	mg/kg

Hazardous ingredients:

4,4'-METHYLENEDIPHENYL DIISOCYANATE, OLIGOMERS

ORL	MUS	LD50	2200	mg/kg
ORL	RAT	LD50	9200	mg/kg

4,4'-METHYLENEDIPHENYLDIISOCYANATE, OLIGOMERIC REACTION PRODUCTS WITH BUTANE-1,3-DIOL, 2,4'-DIISOCYANATOD

ORL	MUS	LD50	2200	mg/kg
ORL	RAT	LD50	9200	mg/kg

DIPHENYLMETHANE-4,4'-DI-ISOCYANATE

ORL	MUS	LD50	2200	mg/kg
ORL	RAT	LD50	9200	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	INH DRM	Hazardous: calculated
Carcinogenicity	--	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

[cont...]

SAFETY DATA SHEET
FLINTS SOFT FOAM - PART B

Page: 7

12.1. Toxicity**Ecotoxicity values:**

Species	Test	Value	Units
FISH	96H LC50	>1000	mg/l
DAPHNIA	24H EC50	>1000	mg/l
Bacteria	3H EC50	>100	mg/l
ALGAE	72H EC50	>1640	mg/l

12.2. Persistence and degradability**Persistence and degradability:** Biodegradable.**12.3. Bioaccumulative potential****Bioaccumulative potential:** No bioaccumulation potential.**12.4. Mobility in soil****Mobility:** Readily absorbed into soil.**12.5. Results of PBT and vPvB assessment****PBT identification:** This product is not identified as a PBT/vPvB substance.**12.6. Other adverse effects****Other adverse effects:** Negligible ecotoxicity.**Section 13: Disposal considerations****13.1. Waste treatment methods****Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.**Waste code number:** 08 05 01**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**Section 14: Transport information****Transport class:** This product does not require a classification for transport.**Section 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Specific regulations:** Not applicable.**15.2. Chemical Safety Assessment****Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.**Section 16: Other information****Other information****Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

[cont...]

SAFETY DATA SHEET

FLINTS SOFT FOAM - PART B

Page: 8

Phrases used in s.2 and s.3: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.