



# ALL IN ONE MULTI SPRAY

Issue date: 17.07.2023 Version: 0.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: STANLEY ALL IN ONE MULTI SPRAY
1.2. Relevant identified uses of the	substance or mixture and uses advised against
No additional information available	
1.3. Details of the supplier of the sa	ifety data sheet
NUCLEUS INCORPORATED 13901 WILLARD RD, CHANTILLY, VA 201 +1 703 988 7773	51
1.4. Emergency telephone number	
For Hazardous Materials [or Dangerous Go Call CHEMTREC Day or Night 1-800-424-9300	ods] Incident Spill, Leak, Fire, Exposure, or Accident
SECTION 2: Hazard(s) identificat	ion
2.1. Classification of the substance	or mixture
GHS-US classification	
Flammable aerosol Category 1	H222
Skin sensitization Category 1	H317
Hazardous to the aquatic environment - Chi	ronic Hazard Category 3 H412
Full text of H statements : see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	<ul> <li>H222 - Extremely flammable aerosol</li> <li>H317 - May cause an allergic skin reaction</li> <li>H412 - Harmful to aquatic life with long lasting effects</li> </ul>
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P261 - Avoid breathing gas, spray, vapors P280 - Wear protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of water P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS U	IS)
Not applicable	

Not applicable





# **ALL IN ONE MULTI SPRAY**

Issue date: 17.07.2023 Version: 0.0

## **SECTION 3: Composition/Information on ingredients**

3.1. Substance

Not applicable

Mixture

Name	Product identifier	%	<b>GHS-US classification</b>
Distillates (petroleum), hydrotreated light, Kerosine - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).]	(CAS No) 64742-47-8	45 - 55	Asp. Tox. 1, H304
Carbon dioxide	(CAS No) 124-38-9	< 10	Compressed gas, H280
Orange Terpenes	(CAS No) 68647-72-3	< 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

<b>SECTION 4: First aid measure</b>	S
4.1. Description of first aid meas	ures
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms a	nd effects, both acute and delayed
Symptoms/injuries after skin contact	: Irritation. May cause an allergic skin reaction.
4.3. Indication of any immediate	medical attention and special treatment needed
Treat symptomatically.	
<b>SECTION 5: Firefighting meas</b>	ures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from	the substance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurized container: may burst if heated.
Reactivity	: Extremely flammable aerosol. Pressurized container: may burst if heated.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
<b>SECTION 6: Accidental release</b>	e measures
6.1. Personal precautions, protection	ctive equipment and emergency procedures
6.1.1. For non-emergency personn	iel
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
	EN (English US) 2/8





www.STANLEYCHEM.com

contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

# **ALL IN ONE MULTI SPRAY**

Issue date: 17.07.2023 Version: 0.0

6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well- ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

Carbon dioxide (124-38-9)		
USA - ACGIH - Occupational Exposure Lir	lits	
Local name	Carbon dioxide	
ACGIH TWA (ppm)	5000 ppm	
ACGIH STEL (ppm)	30000 ppm	
Remark (ACGIH)	TLV® Basis: Asphyxia	
Regulatory reference	ACGIH 2020	
USA - OSHA - Occupational Exposure Lim	its	
Local name	Carbon dioxide	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>	
OSHA PEL (TWA) (ppm)	5000 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

## Hand protection:

Protective gloves

## Eye protection:

EN 166. Chemical goggles or face shield

Skin and body protection:





# **ALL IN ONE MULTI SPRAY**

Issue date: 17.07.2023 Version: 0.0

Wear suitable protective clothing

**Respiratory protection:** 

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	: Gas	
Appearance	: Liquid under pressure.	
Color	: Light yellow	
Odor	: Fruity	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: < 60 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: Pressurized container: may burst if heated.	
Oxidizing properties	: No data available	
Vapor pressure	: 5 bar	
Vapor pressure at 50 °C	: 8 bar	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 0.79 g/cm <sup>3</sup>	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
VOC content	: 40 g/l	
OFOTION 40. Otobility and recetivity		

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Extremely flammable aerosol. Pressurized container: may burst if heated.





# **ALL IN ONE MULTI SPRAY**

Issue date: 17.07.2023 Version: 0.0

10.2.	Chemical stabilit	У
-------	-------------------	---

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. **Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

## Acute toxicity

: Not classified

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:Federal Hazardous Substance Act (FHSA)
LD50 dermal rabbit	<ul> <li>&gt; 5000 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:Federal Hazardous Substance Act (FHSA)</li> </ul>
Hydrocarbons, C9-C11, n-alkanes, isoalkane	s, cyclics, < 2% aromatics (64742-48-9)
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Irritation. May cause an allergic skin reaction.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
12.2. Persistence and degradability	
No additional information available	

No additional information available





# **ALL IN ONE MULTI SPRAY**

Issue date: 17.07.2023 Version: 0.0

12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT)	
Transport document description	: UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
	flammable, (each not exceeding 1 L capacity)
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel
DOT Vessel Stowage Other	: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Emergency Response Guide (ERG) Number	: 126
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Class (IMDG)	: 2 - Gases





## ALL IN ONE MULTI SPRAY

Issue date: 17.07.2023 Version: 0.0

MFAG-No	: 126
Air transport	
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Essential oil of orange obtained from the peel of Citrus sinensis (Rutaceae) by expression and/or distillation, including cold pressed, distilled, terpenes and essence qualities (8028-48-6)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

## CANADA

Carbon dioxide (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)

Essential oil of orange obtained from the peel of Citrus sinensis (Rutaceae) by expression and/or distillation, including cold pressed, distilled, terpenes and essence qualities (8028-48-6)

Listed on the Canadian DSL (Domestic Substances List)

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

No additional information available

## **National regulations**

No additional information available

## 15.3. US State regulations

Component	State or local regulations
Carbon dioxide(124-38-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

Full text of H-phrases:	
H222	Extremely flammable aerosol
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects





www.STANLEYCHEM.com

contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

# ALL IN ONE MULTI SPRAY

Issue date: 17.07.2023 Version: 0.0

## SDS US STANLEY

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable