



FOAM & GUN CLEANER

Description

Foam & Gun Cleaner is a powerful solvent-based aerosol cleaner specifically designed for removing uncured polyurethane (PU) foam, both from surfaces and the gun adapter used for foam application. It effectively cleans surfaces, clothes, window and door frames, while preventing foam cure in the gun adapter.

Properties & Features

High cleaning power: This solvent-based aerosol cleaner is formulated to effectively remove uncured PU foam, including both straw and gun adapter foam.

Gun cleaning: It is also designed to clean the spray gun, ensuring its proper functionality for future foam applications.

Spray activator: The cleaner is equipped with a spray activator that aids in removing foam residues from the spray gun.

Versatile use: It can be used in all positions, making it convenient for various cleaning applications.

Ozone-friendly: The propellant gas used in the cleaner is not harmful to the ozone layer.

Fields of Application

Gun cleaning: Foam Cleaner is ideal for cleaning the spray gun after using PU foam, ensuring its cleanliness, and preventing clogging.

Valve cleaning: It can be used to clean the valves of PU Foam Aerosol, maintaining their optimal performance.

Uncured foam removal: The cleaner effectively removes uncured foam from various surfaces, including tools, equipment, and materials.

Directions for Use

Before use, shake the container to mix the contents, and periodically during use to maintain consistency. Start by ensuring that any visible foam residue around the gun adapter valve area is completely dissolved using the spray method described above. Securely screw the can onto the gun adapter, making sure it is tightly attached. Press the trigger to flush the solvent through the gun adapter for a minimum of 5 seconds, ensuring thorough cleaning of the gun adapter outlet tip. If the period between two applications is longer than a week, clean the gun adapter after removing the can without replacing it with a new one. The cleaner can also be used through the attached spray nozzle for specific cleaning tasks.





www.STANLEYCHEM.com contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

Important: It is essential to note that cured PU foam can only be removed mechanically and is not affected by the solvent.

Remarks & Restrictions

The cleaner is contained in a pressurized container. Do not expose it to temperatures higher than $+122^{\circ}F$.

Keep the container away from direct sunlight and any sources of ignition.

Use the cleaner only in well-ventilated areas to ensure proper air circulation.

Keep the product out of reach of children.

The cleaner should not be used to clean cured foam, as it may cause damage to sensitive surfaces. It is a strong solvent and should be handled accordingly.

Cannot be used to clean cured foam. May damage sensitive surfaces. Strong solvent.

Product Information

Packaging	Net: 12.4 Oz. / 350 g. /500 ml
Shelf Life	24 months
Storage	At cool and dry ambient. In between $+50^{\circ}F$ to $+77^{\circ}F$. max. 60% relative humidity.

Technical Data

Parameter	Value
Basis	Solvent mixture
Density	0.69-0.7 g/cm³
Appearance	Clear

Safety

Ensure that the workstation has good ventilation to minimize exposure to fumes. Wear appropriate personal protective equipment, such as gloves and eye protection, when using the cleaner. Avoid eating, drinking, or smoking while using the product. Always wash hands thoroughly after handling the cleaner. Store the product in a well-ventilated place and away from heat sources. Follow the MSDS guidelines for proper disposal and refer to the provided safety information for further details. Keep the product out of reach of children.





www.STANLEYCHEM.com contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

Disclaimer

The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests in order to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product. Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance with the stipulations set out in our general sales conditions. The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided verbally by telephone to any prospective or existing customer.