



contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

ECTION 1: Identification			
1. Identification			
roduct form	: Mixture		
ade name	: STANLEY GUN&FOAM CLEANER		
2. Relevant identified uses of the	Relevant identified uses of the substance or mixture and uses advised against		
o additional information available			
3. Details of the supplier of the sa	fety data sheet		
UCLEUS INCORPORATED			
3901 WILLARD RD, CHANTILLY, VA 2018	51		
1 703 988 7773			
4. Emergency telephone number			
or Hazardous Materials [or Dangerous Goo all CHEMTREC Day or Night 800-424-9300	ods] Incident Spill, Leak, Fire, Exposure, or Accident		
ECTION 2: Hazard(s) identificat	ion		
1. Classification of the substance	or mixture		
HS-US classification			
ammable aerosols, Category 1 erious eye damage/eye irritation, Category pecific target organ toxicity — Single expo			
ull text of H statements : see section 16			
2 Labol elemente			
2. Label elements HS-US labelling			
azard pictograms (GHS-US)			
	GHS02 GHS07		
gnal word (GHS-US)	: Danger		
azard statements (GHS-US)	: H222 - Extremely flammable aerosol H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness		
recautionary statements (GHS-US)	 P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P261 - Avoid breathing gas, spray, vapours P280 - Wear eye protection, face protection P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P403+P233 - Store in a well-ventilated place. Keep container tightly closed P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation 		
3. Other hazards			

Not applicable





contact@stanleychem.com

13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Name	Product identifier	%	GHS-US classification
ethyl acetate	(CAS No) 141-78-6	30 - 40	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
acetone, propan-2-one, propanone	(CAS No) 67-64-1	20 - 30	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Petroleum gases, liquefied, Petroleum gas	(CAS No) 68476-85-7	1 - 15	Flam. Gas 1, H220

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures : Call a poison center or a doctor if you feel unwell. First-aid measures general First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact Wash skin with plenty of water. First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. : Call a poison center or a doctor if you feel unwell. First-aid measures after ingestion Most important symptoms and effects, both acute and delayed 4.2. Symptoms/injuries : May cause drowsiness or dizziness. Symptoms/injuries after skin contact Repeated exposure may cause skin dryness or cracking. Symptoms/injuries after eye contact : Eye irritation. Indication of any immediate medical attention and special treatment needed 4.3. Treat symptomatically. **SECTION 5: Firefighting measures** Extinguishing media 5.1. Suitable extinguishing media : Water spray. Dry powder. Foam. 5.2. Special hazards arising from the substance or mixture Fire hazard : Extremely flammable aerosol. Explosion hazard Pressurised container: May burst if heated. : Extremely flammable aerosol. Pressurised container: May burst if heated. Reactivity 5.3. Advice for firefighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing Emergency procedures dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information Protective equipment refer to section 8: "Exposure controls/personal protection".





contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	nt and cleaning up
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	ng any incompatibilities
Ctorogo conditiono	. Distant from suplight Do not express to temperatures executing $E0.°C/122.°E$. Store locked

Storage conditions

: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

ethyl acetate (141-78-6)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Ethyl acetate		
ACGIH TWA (ppm)	400 ppm		
Remark (ACGIH)	TLV® Basis: URT & eye irr		
Regulatory reference	ACGIH 2020		
USA - OSHA - Occupational Exposure Lim	its		
Local name	Ethyl acetate		
OSHA PEL (TWA) (mg/m ³)	1400 mg/m ³		
OSHA PEL (TWA) (ppm)	400 ppm		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
acetone; propan-2-one; propanone (67-64-1)			
USA - ACGIH - Occupational Exposure Lim	its		
Local name	Acetone		
ACGIH TWA (ppm)	250 ppm		
ACGIH STEL (ppm)	500 ppm		
Remark (ACGIH)	TLV® Basis: URT & eye irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI		
Regulatory reference	ACGIH 2020		
USA - ACGIH - Biological Exposure Indices			
Local name	ACETONE		
Biological Exposure Indices (BEI)	25 mg/l Parameter: Acetone - Medium: urine - Sampling time: End of shift - Notations: Ns		
Regulatory reference	ACGIH 2020		
USA - OSHA - Occupational Exposure Lim	its		
Local name	Acetone		
OSHA PEL (TWA) (mg/m³)	2400 mg/m ³		





contact@stanleychem.com

13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

OSHA PEL (TWA) (ppm)	1000 ppm		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
Petroleum gases, liquefied; Petroleum gas	Petroleum gases, liquefied; Petroleum gas; (68476-85-7)		
USA - ACGIH - Occupational Exposure Lim	its		
Local name	L.P.G (Liquefied petroleum gas)		
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant		
Regulatory reference	ACGIH 2020		
USA - OSHA - Occupational Exposure Limits			
Local name	L.P.G. (Liquified petroleum gas)		
OSHA PEL (TWA) (mg/m ³)	1800 mg/m ³		
OSHA PEL (TWA) (ppm)	1000 ppm		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		

8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

EN 166. Chemical goggles or face shield

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemica	
9.1. Information on basic physical and	
Physical state	: Gas
Appearance	: Liquid under pressure.
Colour	: Clear. Colourless.
Odour	: Characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 24 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available





contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

Explosive limits	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Density	: 0.85 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. **Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

ethyl acetate (141-78-6)			
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male		
acetone; propan-2-one; propanone (67-64-1)			
LD50 oral rat	5800 mg/kg bodyweight Animal: rat, Animal sex: female		
LC50 inhalation rat (mg/l)	76 mg/l air Animal: rat, Animal sex: female, 95% CL: 65,2 - 88,4		
Skin corrosion/irritation	Not classified		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	Not classified		
Carcinogenicity	Not classified		
Reproductive toxicity	Not classified		





contact@stanleychem.com

13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

acetone; propan-2-one; propanone (67	-64-1)	
LOAEL (animal/female, F0/P)	11298 mg/kg bodyweight Animal: mouse, Animal sex: female	
NOAEL (animal/male, F0/P)	900 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Generation not specified (migrated information)	
STOT-single exposure	: May cause drowsiness or dizziness.	
ethyl acetate (141-78-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
acetone; propan-2-one; propanone (67	-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
ethyl acetate (141-78-6)		
LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)	
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects	: May cause drowsiness or dizziness.	
Symptoms/effects after eye contact	: Eye irritation.	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
ethyl acetate (141-78-6)		
LC50 fish 1	230 mg/l Test organisms (species): Pimephales promelas	
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
acetone; propan-2-one; propand	one (67-64-1)	
LOEC (chronic)	> 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	

≥ 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

NOEC (chronic)

No additional information available

12.5. Other adverse effects

Effect on the global warming

: No known effects from this product.





contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

13.1. Waste treatment methods Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. SECTION 14: Transport information Pepartment of Transport information (POT) In accordance with DOT : UN1950 Transport document description : UN1950 Proper Shipping Name (DOT) : 2.1 - Class 2.1 - Leas	SECTION 13: Disposal consideration	IS
SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT Transport document description : UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1 UN-No.(DOT) :: UN1950 Proper Shipping Name (DOT) :: Aerosols Lass (DOT) :: 2.1 - Class 2.1 - Flammable (each not exceeding 1 L capacity) Class (DOT) :: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 Hazard labels (DOT) :: 2.1 - Flammable gas DOT Packaging Non Bulk (49 CFR 173.xxx) :: None DOT Packaging Bulk (49 CFR 173.xxx) :: None DOT Packaging Such (49 CFR 173.xxx) :: None DOT Packaging Such (49 CFR 173.xxx) :: None DOT Packaging Exceptions (49 CFR 173.xxx) :: None DOT Outnity Limitations Cargo aircraft vality if : Y5 kg Idi GFR 173.77 :: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols DOT Vessel Stowage Location :: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel	13.1. Waste treatment methods	
Department of Transport document description : UV1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1 UN-No.(DOT) : UV1950 Proper Shipping Name (DOT) : Aerosols flammable, (each not exceeding 1 L capacity) : Class (DOT) Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 Horn DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Sulk (49 CFR 173.xxx) : 306 DOT Packaging Sulk (49 CFR 173.xxx) : 306 DOT Packaging Sulk (49 CFR 173.xxx) : 306 DOT Spacial Provisions (49 CFR 173.xxx) : 305 DOT Spacial Scope incord (11 and transport document description) : 306 DOT Packaging Sulk (49 CFR 173.xxx) : 306 DOT Spacial Provisions (49 CFR 173.xxx) : 105 kg CFR 173.27) : 50 kg DOT Quantity Limitations Passenger aircraft onty (4) : 105 kg Cher tra5.75) : 2	Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
In accordance with DOT Transport document description : UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1 UN-No.(DOT) : UN1950 Proper Shipping Name (DOT) : Aerosols flammable, (each not exceeding 1 L capacity) Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 GFR 173.115 DOT Packaging Buk (49 GFR 173.200) : 1.0 - Class 10 - Class	SECTION 14: Transport information	
Transport document descriptionI: UN1950 Aerosols (flammable, (ach not exceeding 1 L capacity), 2.1UN-No. (DOT)I: Aerosols Tammable, (ach not exceeding 1 L capacity)Class (DOT)I: Aerosols Tammable, (ach not exceeding 1 L capacity)Class (DOT)I: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115Hazard labels (DOT)I: NoneDOT Packaging Non Bulk (49 CFR 173.xxx)I: NoneDOT Packaging Exceptions (49 CFR 173.xxx)I: NoneDOT Quantity Limitations Passenger aircraft/rulI: Sto SPOT Quantity Limitations Cargo aircraft orul (49 CFR 173.xxx)I: NoneDOT Vessel Stowage LocationI: Sto SPOT Vessel Stowage OtherI: So SPOT Vessel Stowage OtherI: So Supplementary information available.POT Vessel Stowage OtherI: So Supplementary information available.FundI: So Supplementary information available.POT Vessel Stowage OtherI: So Supplementary information available.FundI: So Supplementary information available.POT Passen Stowage OtherI: So Supplementary information available.POT Passel Stowage OtherI: So Supplementary information available.POT Passen Stowage OtherI: So Supplementary information available.POT Passel Stowage OtherI: So Supplementary information available.POT Passen Stowage OtherI: So Supplementary i		
UN-No. (DOT) : UN1950 Proper Shipping Name (DOT) : Aerosols fiammable, (each not exceeding 1 L capacity) Class (DT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 Hazard labels (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Packaging Exceptions (49 CFR 173.xxx) : None DOT Quantity Limitations Passenger aircraft/rail : 75 kg (49 CFR 173.27) : N5 kg DOT Vessel Stowage Location : 150 kg Fremergency Response Guide (ERG) Number : 156 Other Information available : No supplementary information available. Trasport by see : 1550 Proper Shipping Name (IMDG) : 156		
Proper Shipping Name (DOT) : Aerosols Immunable, (acos) Immunable, (acos) Inamable, (acos) : 2.1 - Flammable gas Arada labels (DOT) : 2.1 - Flammable gas DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bouk (49 CFR 173.xxx) : None DOT Packaging Bouk (49 CFR 173.xxx) : None DOT Packaging Exceptions (49 CFR 173.xxx) : None DOT Packaging Exceptions (49 CFR 173.xxx) : 306 DOT Packaging Exceptions (49 CFR 173.xxx) : 306 DOT Packaging Exceptions (49 CFR 173.xxx) : 306 DOT Quarty Limitations Passenger aircraft/twi : 50 kg POT Quarty Limitations Passenger aircraft/twi : 50 kg POT Vessel Stowage Location : 150 kg POT Vessel Stowage Other : 126 Pore Shiping Name (MDG) : 1950 Proper Shiping Name (MDG) : 2 Gases MFA-No : 2 Gases MFA-No : 2 Gases MFA-No : 1950 Proper Shiping Name (MAT) : 1950 Proper Shiping Name (MAT) : 1950 Proper Shiping Name (MAT) : 1950	Transport document description	: UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1
Class (DOT)I 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115Hazard labels (DOT)I 2.1 - Flammable gas 49 CFR 173.115Hazard labels (DOT)I 2.1 - Flammable gasDOT Packaging Non Bulk (49 CFR 173.xxx)I NoneDOT Packaging Exceptions (49 CFR 173.xxx)I NoneDOT Packaging Exceptions (49 CFR 173.xxx)I S06DOT Packaging Exceptions (49 CFR 173.xxx)I 306DOT Quantity Limitations Cargo aircraft only (49I 57 kgPOT Quantity Limitations Cargo aircraft only (49I 50 kgCFR 173.70I SNode from radiant heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14.126 - Segregation same as for Class 9, miscellaneous hazardous materialsDOT Vessel Stowage OtherI 126Other informationI 180Progr Shipping Name (IMDG)I 1950Progr Shipping Name (IMDG)I 26-Class (IMDG)I 26-VIN-No. (MDG)I 26-VIN-No. (MDG)I 26-Class (IMDG)I 26-VIN-No. (MDG)I 26-VIN-No. (NDG)I 26-<	UN-No.(DOT)	: UN1950
Class (DOT):2.1 Class 2.1 Flammable gasHazard labels (DOT):2.1 Flammable gasDOT Packaging Non Bulk (49 CFR 173.xxx):NoneDOT Packaging Sub (49 CFR 173.xxx):NoneDOT Packaging Exceptions (49 CFR 173.xxx):NoneDOT Packaging Exceptions (49 CFR 173.xxx):306DOT Quantity Limitations Cargo aircraftral:75 kgPOT Quantity Limitations Cargo aircraftral:10 kgCFR 175.75::10 kgDOT Vessel Stowage Cher::2.5 Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14.126 - Segregation same as for Class 9, miscellaneous materialsDOT Vessel Stowage Other::126Other information available::126Totag::::POS::::UN-No. (MDG)::::Proper Shipping Name (IMDG)::::Proper Shipping Name (IMDG)::::UN-No. (ATA):::::UN-No. (ATA):::::Proper Shipping Name (IATA)::::Proper Shipping Name (IATA)::::Proper Shipping Name (IATA)::::Proper Shipping Name (IATA)::::Proper Shipping Name (IATA)::::<	Proper Shipping Name (DOT)	
Hazard labels (DOT): 2.1 - Flammable gasDOT Packaging Non Bulk (49 CFR 173.xxx): NoneDOT Packaging Bulk (49 CFR 173.xxx): NoneDOT Special Provisions (49 CFR 173.xxx): NoneDOT Packaging Exceptions (49 CFR 173.xxx): 306DOT Packaging Exceptions (49 CFR 173.xxx): 306DOT Quantity Limitations Passenger aircraft will: 75 kgPOT Quantity Limitations Cargo aircraft only (49: 150 kgCFR 175.75: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Location: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Cother: 2.5 Shade from radiant heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14.126 - Segregation same as for Class 9, miscellaneous hazardous materialsDot vessel Stowage Other: 126Other information: 126Univo. (MDG): 1950Proper Shipping Name (IMDG): 2 - CasesMFA-No: 126UNNo. (MDG): 2 - CasesMFA-No: 126UNNo. (MAT): 126DT Stopping Name (IATA): 126DT Stopping Name (IATA): 126<		
DOT Packaging Non Bulk (49 CFR 173.xx) i None DOT Packaging Bulk (49 CFR 173.xx) i None DOT Packaging Bulk (49 CFR 173.xx) i None DOT Special Provisions (49 CFR 172.102) i N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols DOT Packaging Exceptions (49 CFR 172.102) i N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols DOT Quantity Limitations Passenger aircraft/rail r 75 kg (49 CFR 173.27) i 150 kg CFR 175.75) i 150 kg DOT Vessel Stowage Location i A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel DOT Vessel Stowage Other i 25 - Shade from radiant heat.87 - Stow "separated from" Class 1 (explosives) except Division 14.126 Cther information i No supplementary information available. TDG No.4ditional information available i VI-No. (MDG) i 1950 Proper Shipping Name (IMDG) i 26 - Gases UN-No. (MDG) i 26 - Gases UN-No. (MDG) i 26 - Gases UN-No. (MDG) i		-
DOT Packaging Bulk (49 CFR 173.xx): NoneDOT Special Provisions (49 CFR 172.102): N82 - See 173.306 of this subchapter for classification criteria for flammable aerosolsDOT Packaging Exceptions (49 CFR 173.xx): 306DOT Quantity Limitations Passenger aircraft/rail: 75 kg(49 CFR 173.27): 150 kgDOT Vessel Stowage Location: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information available: No supplementary information available.TDG No additional information available: 1950Proper Shipping Name (IMDG): 126AEROSOLS: 2- GasesMFAG-No: 126DIT Vessel Stowage I(MDG): 126Proper Shipping Name (IATA): 1950Proper	Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Packaging Bulk (49 CFR 173.xx): NoneDOT Special Provisions (49 CFR 172.102): N82 - See 173.306 of this subchapter for classification criteria for flammable aerosolsDOT Packaging Exceptions (49 CFR 173.xx): 306DOT Quantity Limitations Passenger aircraft/rail: 75 kg(49 CFR 173.27): 150 kgDOT Vessel Stowage Location: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information available: No supplementary information available.TDG No additional information available: 1950Proper Shipping Name (IMDG): 126AEROSOLS: 2- GasesMFAG-No: 126DIT Vessel Stowage I(MDG): 126Proper Shipping Name (IATA): 1950Proper		
DOT Special Provisions (49 CFR 172.102): N82 - See 173.306 of this subchapter for classification criteria for flammable aerosolsDOT Packaging Exceptions (49 CFR 173.xxx): 306DOT Quantity Limitations Passenger aircraft/rail: 75 kg(49 CFR 173.27): 150 kgDOT Quantity Limitations Cargo aircraft only (49): 150 kgCFR 175.75): A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information: No supplementary information available. Transport by sea	DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Exceptions (49 CFR 173.xx): 306DOT Quantity Limitations Passenger aircraft/rail: 75 kgQCFR 173.27): 150 kgDOT Quantity Limitations Cargo aircraft only (4): 150 kgCFR 175.75): A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information: No supplementary information available.TDG No additional information available: 1950Proper Shipping Name (IMDG): 126KRAG-No: 2 - GasesMFAG-No: 126VIN-No. (IATA): 1950Proper Shipping Name (IATA): 1950	DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail: 75 kgPOT Quantity Limitations Cargo aircraft only (49: 150 kgDOT Quantity Limitations Cargo aircraft only (49: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Location: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information: No supplementary information available.TDG No additional information available: 1950Proper Shipping Name (IMDG): 126Idags (IMDG): 2 - GasesMFAG-No: 126Other information: 1950Proper Shipping Name (IATA): 1950	DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols
(49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 150 kg CFR 175.75) in A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials Emergency Response Guide (ERG) Number : 126 Other information : No supplementary information available. TDG	DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
CFR 175.75)DOT Vessel Stowage Location: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information: No supplementary information available.TDG No additional information available:Transport by sea UN-No. (IMDG): 1950Proper Shipping Name (IMDG): 126Class (IMDG): 126A - ReOSOLSClass (IMDG): 126A - ReoSol SMFAG-No: 126A - The material may be stowed "on available.D - Proper Shipping Name (IATA): 1950Proper Shipping Name (IATA): Aerosols, flammable		: 75 kg
passenger vesselDOT Vessel Stowage Other: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information: No supplementary information available.TDG No additional information available: VesselUN-No. (IMDG): 1950Proper Shipping Name (IMDG): 2 - GasesMFAG-No: 126Air transport UN-No. (IATA): 1950Proper Shipping Name (IATA): 1950		: 150 kg
14,126 - Segregation same as for Class 9, miscellaneous hazardous materialsEmergency Response Guide (ERG) Number: 126Other information: No supplementary information available.TDG No additional information available	DOT Vessel Stowage Location	
Other information : No supplementary information available. TDG No additional information available Transport by sea UN-No. (IMDG) : 1950 Proper Shipping Name (IMDG) : AEROSOLS Class (IMDG) : 2 - Gases MFAG-No : 126 Air transport UN-No. (IATA) Proper Shipping Name (IATA) : 4erosols, flammable	DOT Vessel Stowage Other	
TDG No additional information available Transport by sea UN-No. (IMDG) : 1950 Proper Shipping Name (IMDG) : AEROSOLS Class (IMDG) : 2 - Gases MFAG-No : 126 Air transport UN-No. (IATA) Proper Shipping Name (IATA) : 1950	Emergency Response Guide (ERG) Number	: 126
No additional information available Transport by sea UN-No. (IMDG) : 1950 Proper Shipping Name (IMDG) : AEROSOLS Class (IMDG) : 2 - Gases MFAG-No : 126 Air transport UN-No. (IATA) Proper Shipping Name (IATA) : 1950	Other information	: No supplementary information available.
UN-No. (IMDG): 1950Proper Shipping Name (IMDG): AEROSOLSClass (IMDG): 2 - GasesMFAG-No: 126Air transportUN-No. (IATA): 1950Proper Shipping Name (IATA): Aerosols, flammable	-	
UN-No. (IMDG): 1950Proper Shipping Name (IMDG): AEROSOLSClass (IMDG): 2 - GasesMFAG-No: 126Air transportUN-No. (IATA): 1950Proper Shipping Name (IATA): Aerosols, flammable	Transport by sea	
Proper Shipping Name (IMDG): AEROSOLSClass (IMDG): 2 - GasesMFAG-No: 126Air transportUN-No. (IATA): 1950Proper Shipping Name (IATA): Aerosols, flammable		: 1950
Class (IMDG) : 2 - Gases MFAG-No : 126 Air transport		: AEROSOLS
MFAG-No : 126 Air transport		
UN-No. (IATA) : 1950 Proper Shipping Name (IATA) : Aerosols, flammable		
Proper Shipping Name (IATA) : Aerosols, flammable	Air transport	
Proper Shipping Name (IATA) : Aerosols, flammable	UN-No. (IATA)	: 1950
		: Aerosols, flammable
	Class (IATA)	





contact@stanleychem.com 13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

SECTION 15: Regulatory information		
15.1. US Federal regulations		
ethyl acetate (141-78-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ 5000 lb		
acetone; propan-2-one; propanone (67-64-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313		
CERCLA RQ	5000 lb	
Petroleum gases, liquefied; Petroleum gas; (68476-85-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations

CANADA	
ethyl acetate (141-78-6)	
Listed on the Canadian DSL (Domestic Substances List)	
acetone; propan-2-one; propanone (67-64-1)	
Listed on the Canadian DSL (Domestic Substances List)	
Petroleum gases, liquefied; Petroleum gas; (68476-85-7)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
ethyl acetate(141-78-6)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
acetone; propan-2-one; propanone(67-64-1)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
Petroleum gases, liquefied; Petroleum gas; (68476-85-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information





contact@stanleychem.com

13901 Williard Rd, Chantilly, VA, 20151, USA

STANLEY GUN&FOAM CLEANER

Issue date: 17.07.2023 Version: 0.0

Full text of H-statements:		
H220	Extremely flammable gas	
H222	Extremely flammable aerosol	
H225	Highly flammable liquid and vapour	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	

SDS US STANLEY

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable